



# Ascertaining the Knowledge Level of Fresh Graduates of Civil Engineering and Allied Programmes on the Types and Primary Functions of Geosynthetics: A Study from Ghana

Matthew Kwaw Somiah <sup>a\*</sup>

<sup>a</sup> Department of Building Technology, Takoradi Technical University, Ghana.

## **Author's contribution**

The sole author designed, analyzed, interpreted and prepared the manuscript.

## **Article Information**

DOI: 10.9734/JERR/2022/v23i12773

## **Open Peer Review History:**

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/93981>

**Original Research Article**

**Received: 09/10/2022**

**Accepted: 01/12/2022**

**Published: 05/12/2022**

## **ABSTRACT**

This study was informed by the lack of country-specific studies that established the knowledge level in geosynthetics among fresh graduates with a bachelor's degree in civil engineering or allied programmes in developing countries. Thus, this study seeks to establish the knowledge level of fresh graduates with a bachelor's degree in civil engineering or allied programmes in Ghana on the types and primary functions of geosynthetics. Data were collected using a structured questionnaire and analysed using frequency, percentage, mean, standard deviation, and one sample t-test. The analysis revealed an overall mean score of 2.06 and 1.74 regarding the knowledge level among fresh graduates on the types and primary functions of geosynthetics respectively. Thus, compared with the hypothesized mean of 3.5 for the study, there was generally a low knowledge level regarding the types and primary functions of geosynthetics among fresh graduates with a bachelor's degree in civil engineering or allied programmes in Ghana. However, Ghana's case was of great

\*Corresponding author: Email: [mrsomiah@gmail.com](mailto:mrsomiah@gmail.com);

concern as the fresh graduates were only knowledgeable in 3 out of the 9 types of geosynthetics and 4 out of the 10 primary functions of geosynthetics. The uniqueness of the study lies in the fact that it empirically established the knowledge level of fresh graduates in civil engineering, building technology, and construction technology and management programmes at the bachelor's level on the types and primary functions of geosynthetics which hitherto was not in existence. It recommends the review of the existing curriculum for building technology, civil engineering, and construction technology and management programmes at the bachelor's level to include adequate content on geosynthetics as a soil improvement technology. Again, the study contributes to the existing literature on geosynthetics and forms the basis for future studies in geosynthetics.

*Keywords: Building; civil infrastructure; engineering; geosynthetics; technology.*

## 1. INTRODUCTION

Although geosynthetic-based solutions are gradually gaining acceptance and use within the construction industry across the globe [1,2], with geosynthetics like geotextiles and geomembranes being the most known followed by geogrids in countries or states such as/within India, the United Kingdom (UK) and the United States of America (USA) [2-4]; the growth in its applications has been constrained by the little or lack of knowledge in geosynthetics among fresh graduates with a bachelor's degree in civil engineering or allied programmes [3-5]. This is chiefly a result of the inadequate or lack of content on geosynthetics in existing curricula for civil engineering or allied programmes at the bachelor's level [3,4]. Whereas the knowledge level in geosynthetics among fresh graduates with a bachelor's degree in civil engineering from developed countries or states, specifically the UK and the USA, is known to be generally low [3,5]; there is a lack of country-specific study that has established the knowledge level in geosynthetics among fresh graduates with a bachelor's degree in civil engineering or allied programmes from developing countries. Thus, this current study in part addresses this gap in existing studies as it seeks to establish the knowledge level of fresh graduates with a bachelor's degree in civil engineering or allied programmes in Ghana on the types and primary functions of geosynthetics. Though the researcher does not seek to generalize the findings of this study in Ghana to represent that of developing countries, the study offers fruitful lessons for developing countries like Nigeria, South Africa, Algeria, Malaysia, and Burkina Faso whose academic programmes share close characteristics with that of Ghana. In Ghana, studies on geosynthetics have considered the underlying constraints to the use of geosynthetics among construction practitioners [6], the level of awareness among construction practitioners regarding the functional

uses of geosynthetics [7], the extent of application of geosynthetics to civil infrastructure projects [8], among others. What is not known is the knowledge level in geosynthetics among fresh graduates with a bachelor's degree in civil engineering or allied programmes. Thus, this current study, which focuses on Ghana, addresses the lack of literature that established the knowledge level of fresh graduates with a bachelor's degree in civil engineering or allied programmes on the types and primary functions of geosynthetics. The allied programmes that were considered in this study were construction technology and management, and building technology programmes because these programmes, like the civil engineering programme, involved aspects of structural engineering, construction management, geotechnical engineering, environmental engineering, water resource engineering, transportation engineering and hydraulic engineering. Hence, knowledge of geosynthetics is equally essential for the training and career development of fresh graduates from these programmes. The study considered fresh graduates from both public and private universities. Fresh graduates were students who successfully completed their programme of study and were awarded a Bachelor of Science (BSc), Bachelor of Technology (BTech), or Bachelor of Engineering (BEng) degree in Civil Engineering, Construction Technology and Management, or Building Technology during the 2021/2022 academic year and were yet to find jobs. The aim of the study was to establish the knowledge level of fresh graduates with a bachelor's degree in civil engineering or allied programmes in Ghana on the types and primary functions of geosynthetics.

The specific objectives that guided the study were:

- To establish the knowledge level of fresh graduates with a bachelor's degree in civil

engineering or allied programmes in Ghana on the types of geosynthetics,

- To establish the knowledge level of fresh graduates with a bachelor's degree in civil engineering or allied programmes in Ghana on the primary functions of geosynthetics.

## 2. TYPES AND PRIMARY FUNCTIONS OF GEOSYNTHETICS

Geosynthetics are planar products produced from polymeric materials and used with rock, soil, earth, or other geotechnical engineering-related materials as an integral part of man-made structures, projects, or systems [7,9]. Geosynthetics are mostly made (usually a combination of polymers) from synthetic polymers of Polypropylene, Polyester, Polyethylene, or Polyamide [10,11]. However, there are other emerging polymers that are also used in the production of geosynthetics like Polyvinyl Chloride (PVC), Nylon [10], and Cellulose (a polymer that occurs naturally and is based on glucose as the monomer) [12]. The primary functions of geosynthetics include filtration, separation, drainage, reinforcement, environmental protection, and provision of a fluid barrier [6,13,14]. Prior to the advent of polymer for geosynthetics, natural geosynthetics were in use though rare [10,11]. However, the fundamental problem with natural geosynthetics (using natural materials such as wood, cotton, and jute, among others to stabilize, reinforce, and filter, among other primary functions of geosynthetics) was the biodegradation that occurs from microorganisms in the soil when buried in the environment [10,11]. Nevertheless, with the advent of polymers, a much more stable material became available that could last for centuries even in harsh environmental conditions when properly formulated [10,11]. Other benefits of integrating geosynthetics into man-made structures include a reduction in the use of natural materials in improving the conditions of soil [3,15], comparative cost advantage, physical strength properties, mechanical strength properties, and time efficiency in the delivery of civil infrastructure projects [3,16-19]. In recent times, intelligent geosynthetics have been developed which makes it possible to monitor the performance of geosynthetics after they have been applied in civil infrastructure projects [14]. Intelligent geosynthetics are geosynthetics with integrated chips and sensors for measuring strains, temperature and other environmental conditions [14]. For example, for landfill sealing

systems with intelligent geosynthetics (eg intelligent geomembranes), the electro-resistive sensors in the intelligent geomembrane detect possible leakage in the vicinity of the geomembrane [14]. There is also, another group of intelligent geosynthetics that has polymer optical fibres (POF) integrated into the geosynthetics. For instance, for a dam structure that integrates intelligent geosynthetics, the geosynthetics enable continuous observation of the deformations of the dam so that at the beginning of the collapse of the dam, a warning is given in advance and people can be timely evacuated to a safer place [14].

A plethora of studies has suggested nine (9) main types of geosynthetics [9,19,20] namely: geotextiles, geonets, geogrids, geomembranes, geosynthetic clay liners, geofoams, geopipes, geocomposites, and geocells [21,22]. Each of the main types has a wide range of primary functions. The primary functions of geosynthetics are the intended uses for which a particular geosynthetic was manufactured [7].

### 2.1 Primary Functions of Geosynthetics

The primary functions of geosynthetics have been predominantly discussed under reinforcement, stabilization, erosion control, filtration, fill material, containment, drainage, separation, and protection [1,2,17], and sometimes fluid conveyor [22].

### 2.2 Reinforcement

The object of using geosynthetics as a reinforcement to soil is to reinforce the weak soil or subgrade [2], strengthen the soil surface and improve the stability of the soil, especially slopes [2]. Additionally, it prevents water from pervading the slope and regulates infiltration that occurs during precipitation [2]. Types of geosynthetics used as reinforcement include geonets, geogrids, geotextiles, geocells and some geocomposites [13]. These geosynthetics are good in tension and thus complement the soil which is good in compression to serve its structural purposes when used as an integral part of civil infrastructure projects [22]. Geocells offer structural reinforcement for earth retention and load support when used for earth-retaining structures [22]. Geogrids are normally used to reinforce the sub-base of roads, as well as retaining walls or other structures such as dams due to their ability to redistribute load over a

wider area, their high tensile strength, and high holding capacity [22].

### 2.3 Soil Stabilization

Categories of geosynthetics used for soil stabilization include geotextiles, geogrids, geocells, geonets and some geocomposites [1,7]. Geotextiles are used in ensuring stability during saturation in the rainy season and conditions of sudden drawdown [1]. Geonets are used as stabilizers in foundation walls, landfills, and roads [22]. Geocells are used for soil stabilization on steep slopes and flat grounds [12,22]. Geogrids are used to stabilize the subgrade for the construction of embankments in railways and highways [7]. Geogrids offer soil stabilization in areas with high water table levels or low bearing strength where laying of foundations to carry heavy loads is critical [7,22].

### 2.4 Erosion Control

Category of geosynthetics used for erosion control include geotextiles, geonets, geocells, geomembranes, and some geocomposites [1]. Geonets are used in foundation walls, landfills, and roads for erosion control [7,22]. Geocells are used for erosion control on steep slopes and offer protection to channels [22].

### 2.5 Containment

When geosynthetics are used as containment, they serve as barriers to fluid, landfill liners and covers, and general hydraulic applications including dams, tunnels, surface impoundments and canals (liquid or/and gases) [1,23]. The category of geosynthetics used as containment are geomembranes, geosynthetic clay liners and some geocomposites [1,13].

### 2.6 Fill Material

The type of geosynthetics used as fill material is the geofoam. When used as a fill material, geofoams reduce lateral pressures on retaining walls and stresses on underlying soils, abutments, or foundations [7,22]. Geofoams are used as fill around culverts and pipes [7].

### 2.7 Drainage

Geosynthetics for drainage purposes allow liquid to flow through it without losing the soil. Categories of geosynthetics for drainage purposes include geopipes, geotextiles, geocells,

geonets and some geocomposites [1,13]. Geonets are used to convey all types of fluids [7]. Geopipes are used to collect and drain leachates from landfill sites [7,22]. When geocells are used in highway construction, they aid in fixing the water accumulation problem and the soil erosion problem that may arise [7,22].

### 2.8 Filtration

The object of using geosynthetics for filtration is to retain soil while allowing the passage of water [2]. Thus, such geosynthetics should be permeable for functional uses [2]. Types of geosynthetics for filtration purposes include geonets, geotextiles, and some geocomposites [1,13]. Geonets serve as filter media and prevent surrounding fills from clogging drainages [22].

### 2.9 Separation

Separation serves as a medium between the different layers of soil which absorbs the load in the form of tension and prevents change in the alignment of the soil layers [2]. The object of separation by Geosynthetics is to prevent a well-defined material from penetrating the subgrade or the poor soil [2]. Geosynthetics used as separators should have good puncture/tear resistance properties to avert the loss of layered aggregates or soil into the underlying soil or subsoil, upward pumping of subsoil, maintains the porosity of different layers of the soil and eliminates contamination [2]. Types of geosynthetics used for separation include Geonets, geocells, geotextiles, geofoams, and some geocomposites [22]. According to [1], separation is a primary function of geofoams and geocells.

### 2.10 Protection

Geosynthetics used for protection serve as cushioning and protection membranes [2]. Such geosynthetics are useful for landfill and waste containment from puncture due to sharp stones or stress [2].

### 2.11 Fluid Conveyor

The geosynthetics that function as a fluid conveyor are the geopipes, specifically the ones that are not perforated [22]. They are used to convey liquids (leachates) to sumps or for safe disposal [22]. It has been also applied in the transportation of oil and gas [22].

**Table 1. A matrix of types and primary functions of geosynthetics in previous studies**

<b>Geosynthetics</b>	<b>Separation</b>	<b>Filtration</b>	<b>Containment</b>	<b>Drainage</b>	<b>Reinforcement</b>	<b>Stabilization</b>	<b>Fill material</b>	<b>Erosion control</b>	<b>Protection</b>	<b>Fluid Conveyor</b>
Geotextiles	x	X		x	X	x		x		
Geomembranes			x					x	x	
Geogrids					X	x				
Geonets or geospacers		X		x		x		x		
Geofoams	x						x			
Geosynthetic clay liners			x							
Geocells	x				X	x		x		
Geocomposites	x	X	x	x	X	x	x	x	x	
Geopipes				x						x

Source: Literature review

### 3. METHODOLOGY

This quantitative study employed a two-stage approach to research. In the first stage, related literature was reviewed to identify the types and primary functions of geosynthetics. The second stage was the use of a structured questionnaire to solicit the views of fresh graduates with a bachelor's degree in civil engineering or allied programmes in Ghana on the types and primary functions of geosynthetics. The fresh graduates considered were graduates who had their graduation within the 2021/2022 academic year. Also, among fresh graduates, only those who were yet to find a job were considered for the study. The essence is to avoid the inclusion of the views of fresh graduates who have gained some level of exposure or experience in geosynthetics after graduation. Since there was not in the existence, a database from which data on this category of fresh graduates could be sampled, this study conveniently used 109 fresh graduates from public and private universities in Ghana, with a Bachelor of Science (BSc), Bachelor of Technology (BTech) or Bachelor of Engineering (BEng) degree in Civil Engineering, Construction Technology, Construction Technology and Management or Building Technology. The respondents were reached by snowballing.

The study used a 5-point scale, where (1) represented strongly disagree, (2) was disagree, (3) was neutral, (4) was agree, and (5) denoted strongly agree in measuring the responses from the research respondents. In all, the respondents were to indicate their extent of agreement regarding nineteen (19) statements about the types and primary functions of geosynthetics. Out of the 19 statements on geosynthetics, nine (9) related to the types of geosynthetics and ten (10) were on the primary functions of geosynthetics. The respondents were reached

via email and WhatsApp. They were requested to complete the questions on the Google forms relating to the types and primary functions of geosynthetics as well as the demographic characteristics of the respondents. The responses were extracted onto IBM SPSS Version 22 software for analysis. Data were analysed using the standard deviation and the mean. One sample t-test was further used in analysing the data which aided in comparing the mean value of the respondents to the population/hypothesized mean to ascertain the level of statistical significance of the responses obtained from the research respondents. Accordingly, a hypothesized mean was set at 3.5 (see [6,7]). The significance level was also set at 95% in accordance with predictable risk levels (see [6,7]). Any significant (1-tailed) value (p-value) not exceeding 0.05 was considered statistically significant (see [6, 7]).

### 4. RESULTS AND DISCUSSION

The demographic characteristics of the research respondents have been presented in Table 2. It captures the programme of study, university and gender.

The demographic characteristics revealed that 61.47% of the respondents were fresh graduates with a bachelor's degree in Civil Engineering, 20.18% had a bachelor's degree in Building Technology and 18.35% obtained qualification in Construction Technology and Management. Thus, the responses were dominated by fresh graduates with a bachelor's degree in civil engineering. The percentage of male and female respondents only reflected that engineering and technology in Ghana have been a male-dominated discipline and there is the need to cautiously bridge the male-female ratio in engineering and technology programmes.

**Table 2. Respondents' demographic characteristics**

Main variables	Specific variables	Frequency(N)	Percentage (%)
Programme of study	Civil Engineering	67	61.47
	Building Technology	22	20.18
	Construction Technology and Management	20	18.35
	Total	109	100
University	Public	94	86.24
	Private	15	13.76
	Total	109	100
Gender	Male	101	92.66
	Female	8	7.34
	Total	109	100

**Table 3. Knowledge level of fresh graduates on types of geosynthetics**

SN	Types of geosynthetics	Mean	Mean score ranking	Standard deviation	Sig(1-tailed)	Statistical significance
1	Geomembranes	2.36	1 <sup>st</sup>	0.62	0.00	Yes
2	Geopipes	2.12	2 <sup>nd</sup>	0.49	0.00	Yes
3	Geotextiles	1.70	3 <sup>rd</sup>	0.17	0.00	Yes
	Overall mean score	2.06				

**Objective 1:** To establish the knowledge level of fresh graduates with a bachelor's degree in civil engineering or allied programmes in Ghana on the types of geosynthetics.

The outcome of the analysis on the knowledge level of fresh graduates with a bachelor's degree in civil engineering or allied programmes on the types of geosynthetics has been presented in Table 3. From Table 3, standard deviation values were all below 1.0. This was an indication that there was consensus in the data collected from the research respondents and thus, variability in the views expressed by the respondents was insignificant [6,7]. Therefore, responses were reliable and accurate. Moreover, all the p-values for the one-tailed test from Table 3, indicated a strong statistical significance of the data collected. All, the t-test p-values were 0.00.

Generally, the results showed that the graduates were only knowledgeable in only three (3) out of the nine main types of geosynthetics identified from the literature review. This translated into an overall mean score of 2.06, less than the hypothesized mean value of 3.5. This confirmed the argument by [3] and [4] that the knowledge level in geosynthetics is generally low among fresh graduates in civil engineering at the bachelor's level, specifically in the UK and the USA respectively. However, this study in Ghana

has further revealed that the low knowledge level in geosynthetics is not only associated with fresh graduates of civil engineering programmes at the bachelor's level but also includes graduates of allied civil engineering programmes, specifically Building Technology, and Construction and Management.

Relatively, the knowledge level in geomembranes among the fresh graduates ranked 1<sup>st</sup> with a mean score of 2.36. This is consistent with the assertion by [5] that geomembranes are the most known geosynthetics. Geopipes with a mean score of 2.12 ranked 2<sup>nd</sup>. It is peculiar to this study in Ghana that geopipes are among the three most known geosynthetics among fresh graduates in civil engineering and allied programmes. This contrasts the opinion of [1] and [5] that geomembranes, geotextiles and geogrids are the three most known geosynthetics. Lastly, geotextiles with a mean score of 1.70 ranked 3<sup>rd</sup>. This supports the Ministry of Textiles (2013) argument that geotextiles are well-known geosynthetics.

**Objective 2:** To establish the knowledge level of fresh graduates with a bachelor's degree in civil engineering or allied programmes in Ghana on the primary functions of geosynthetics.

**Table 4. Knowledge level of fresh graduates on primary functions of geosynthetics**

SN	Primary functions of geosynthetics	Mean	Mean score ranking	Standard deviation	Sig (1-tailed)	Statistical significance
1	Geosynthetics function as separating media	2.36	1 <sup>st</sup>	0.62	0.00	Yes
2	Geosynthetics function as filter media	2.12	2 <sup>nd</sup>	0.49	0.00	Yes
3	Geosynthetics function as containment to prevent ground pollution	1.29	3 <sup>rd</sup>	0.78	0.00	Yes
4	Geosynthetics are useful for drainage purposes	1.17	4 <sup>th</sup>	0.56	0.00	Yes
	Overall mean score	1.74				

The knowledge level of fresh graduates regarding the primary functions of geosynthetics has been presented in Table 4. From Table 4, standard deviation values were all below one (1.0) indicating consensus exists in the views of the respondents [6,7]. Therefore, responses were reliable and accurate. Moreover, all the p-values for the one-tailed test from Table 4, suggested a strong statistical significance of the data collected. All the p-values of the t-test were 0.00.

The knowledge level of the fresh graduates regarding the primary functions of geosynthetics was generally low. An overall mean score of 1.74 was obtained, thus less than the hypothesized mean of 3.5. Hence, this confirms the view of [4] that the knowledge level of fresh graduates in civil engineering at the bachelor's level on geosynthetics is low. Peculiar to this study in Ghana is that fresh graduates were only knowledgeable in four (4) out of the ten (10) primary functions of geosynthetics identified from the literature review. Specifically, geosynthetics function as separating media with a mean score of 2.36 ranked 1<sup>st</sup>. According to [1] and [2], a primary function of geosynthetics is serving as separating media for layered soil. Geosynthetics that function primarily as separating media include geonets, geocells, geotextiles, geofoams, and some geocomposites [22]. Geosynthetics function as filter media obtained a mean score of 2.12 and ranked 2<sup>nd</sup>. This supports the study by [7] and [22] who found the primary functional use of geosynthetics to be filtration. According to [22] when geosynthetics serve as filter media they prevent surrounding fills from clogging drainages [22]. Geosynthetics function as containment to prevent ground pollution with a mean score of 1.29 emerged the 3<sup>rd</sup> ranked knowledgeable area among the fresh graduates. This supports the revelation by [1] and [23] that containment is a function of geosynthetics. Lastly, geosynthetics are useful for drainage purposes with a mean score of 1.17 ranked 4<sup>th</sup>. According to [1] and [13] drainage is a primary function of geosynthetics. When geosynthetics function as drainage they aid in draining subsoil as well the conveyance of fluid. However, the conveyance function is at times separated from the drainage functions in some literature with an example being [22].

## 5. CONCLUSIONS

This study sought to establish the knowledge level of fresh graduates with a bachelor's degree

in civil engineering or allied programmes in Ghana on the types and primary functions of geosynthetics. Overall mean scores of 2.06 and 1.74 were recorded regarding the types and primary functions of geosynthetics respectively; less than the hypothesized mean of 3.5. Thus, affirming the generally low knowledge level in geosynthetics among fresh graduates. However, Ghana's case is of great concern as fresh graduates were only knowledgeable in 3 out of the 9 types of geosynthetics and 4 out of the 10 functions of geosynthetics. Moreover, this study in Ghana revealed that low knowledge level was not only associated with fresh graduates in civil engineering at the bachelor's level as reported in previous studies but also fresh graduates of the Building Technology, and Construction Technology and Management programmes also exhibited low knowledge levels regarding the types and primary functions of geosynthetics. The uniqueness of the study lies in the fact that it empirically established the knowledge level of fresh graduates in civil engineering, building technology, and construction technology and management regarding the types and primary functions of geosynthetics which hitherto were not in existence. The study will inform the review of the existing curriculum for building technology, civil engineering, and construction technology and management programmes at the bachelor's level to include adequate content on geosynthetics which have been an environmentally friendly technology to improve the conditions of weak soil for civil infrastructure projects. Again, the study contributes to the existing literature on geosynthetics and forms the basis for future studies in geosynthetics, especially on the knowledge level of fresh graduates. The study recommends the review of the existing curriculum for building technology, civil engineering, construction technology and management programmes at the bachelor's level to include geosynthetics as a stand-alone course or incorporated under geotechnical engineering, construction materials or ground engineering to enhance the knowledge of fresh graduates on geosynthetics. A future study that proposes an ideal content for geosynthetics engineering for inclusion in civil engineering, building technology, and construction technology and management programmes will be a novelty.

## COMPETING INTERESTS

Author has declared that no competing interests exist.



## REFERENCES

1. Oginni FA, Dada TT. Comparative study of continental involvement in using geosynthetics and implications for Africa and Nigeria. *International Journal of Engineering Applied Sciences and Technology*. 2021;5(9):88-95.
2. Ministry of Textile. Study on Developing Measures to Promote the Use of Geosynthetics in India. Mumbai: Technology Mission on Technical Textile (TMTT); 2013.
3. Raja J. Constraints and barriers to the application of geosynthetics. Creating sustainable cities and infrastructure using poly-meric construction products: Proceedings of the 4th International Conference Geosynthetics Middle East. 2011;141-150.
4. GSI. Introduction to the Geosynthetic Certification Institute's Geosynthetic Designer Certification Program (GCI-GDCP). Geosynthetic Institute; 2015.
5. Adewumi AO. An assessment on the use of geosynthetic materials by construction industry stakeholders in Lagos State Nigeria . Federal University of Technology. Akure: Adewumi AO. An assessment on the use of geosynthetic materials by construction industry stakeholders in lagos state nigeria (doctoral dissertation, federal university of technology, akure); 2018.
6. Somiah MK, Awere E, Manu IY. Exploring the Underlying Constraints to the Use of Geosynthetics for Civil Engineering Infrastructure: A Study from Ghana. *Journal of Engineering Research and Reports*, 2022;23(10):13-23. Available:<https://doi.org/10.9734/jerr/2022/v23i10749>
7. Somiah M, Dowuona A, Eshun J, Ayerakwah H. Ascertaining the Level of Awareness of the Functional Uses of Geosynthetics among Construction Practitioners in the Construction Industry in Ghana. *Journal of Materials Science Research and Reviews*; 2022.
8. Somiah M, Brobbey D, Danso F, Honu W. An Assessment of the Extent of Application of Geosynthetics to Civil Infrastructure Projects in Ghana. *Journal of Geography, Environment and Earth Science International*. 2022;26(10):38-48.
9. ASTM. Annual Books of ASTM Standards, American Society Testing and Materials, Philadelphia, Pennsylvania. Volume 4.08 (1), Soil and Rock, Volume 4. No. (8), Soil and Rock, Geosynthetics Textiles. 1994; 7(1).
10. Agrawal BJ. Geotextile: It's application to civil engineering—overview. *National Conference on Recent Trends in Engineering & Technology*. 2011;1-6.
11. Narejo D. Geotextiles use for cushioning . In *Geotextiles*. Woodhead Publishing. 2016;395-411.
12. Mohan RK, Nair CR. Geotextile Applications. In *Encyclopedia of coastal science, Encyclopedia of Earth science series*. Dordrecht.: Springer; 2021.
13. Koerner RM. *Designing With Geosynthetics* (6th ed.). Xlibris Publishing Co.; 2012.
14. Ziegler M. Application of geogrid reinforced constructions: history, recent and future developments. *Procedia Engineering*. 2017; 42-51:172.
15. Pinho-Lopes M. Challenges and benefits in implementing problem-based learning in an elective MSc course Application of Geosynthetics in Civil Engineering. In 2018 3rd International Conference of the Portuguese Society for Engineering Education (CISPEE). IEEE. 2018;1-9.
16. Elragi AF. Selected engineering properties and applications of EPS geofoam. State University of New York College of Environmental Science and Forestry; 2000.
17. Khan GA, Singh ES. Use of geosynthetic materials in road construction. *IJSDR*. 2020;5(8):1-9.
18. Wu H, Yao C, Li C, Miao M, Zhong Y, Lu Y, Liu. Review of application and innovation of geotextiles in geotechnical engineering. *Materials*. 2020; 13(7):774.
19. Ait M. *Industrial Plastics*; 2021. Available:<https://industrialplastics.com.au/geomembrane-explained/>
20. Christoforidou E, Bobet A, Nantung T, Bourdeau PL. Use of Geosynthetics on Subgrade and on Low and Variable Fill Foundations. WEST Lafayette, IN: Purdue University; 2021.
21. Qamhia II, Tutumluer E. Evaluation of Geosynthetics Use in Pavement Foundation Layers and Their Effects on Design Methods. Illinois Center for Transportation/Illinois Department of Transportation; 2021.

22. The Constructor. The constructor. Retrieved from Types of geosynthetics in Construction; 2022. Available:<https://theconstructor.org/building/9-types-geosynthetics-construction/45274/>
23. Pilarczyk KW. Geosynthetics and Geosystems in Hydraulic and Coastal Engineering, Rotterdam, The Netherlands.: A.A. Balkema Publ; 2000.

---

© 2022 Somiah; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

*Peer-review history:*

*The peer review history for this paper can be accessed here:  
<https://www.sdiarticle5.com/review-history/93981>*